

Jurnal - Irma Amanda Putri

by Turnitin User

Submission date: 05-Apr-2024 06:45PM (UTC+1100)

Submission ID: 2340571846

File name: Jurnal_-_Irma_Amanda_Putri.pdf (1.06M)

Word count: 4121

Character count: 21583

IMAGE CLASSIFICATION OF VINE LEAF DISEASES USING COMPLEX-VALUED NEURAL NETWORK

Irma Amanda Putri¹, Dwi Arman Prasetya^{2*}, Tresna Maulana Fahrudin³

^{1,2,3}Universitas Pembangunan Nasional Veteran Jawa Timur, Surabaya, Indonesia
*Email: ¹20083010013@student.upnjatim.ac.id, ²arman.prasetya.sada@upnjatim.ac.id,
³tresna.maulana.ds@upnjatim.ac.id

(Received: dd mmm yyyy, Revised: dd mmm yyyy, Accepted: dd mmm yyyy)

Abstract

Leaf diseases are a serious challenge in the agricultural industry affecting crop quality and yield especially in grapevines. Early recognition and classification of grape leaf diseases is crucial to enable farmers to take appropriate preventive measures in maintaining the health of their crops. The research utilized an innovative approach based on Complex-Valued Neural Network (CVNN) to address the problem. Using Complex-Valued Neural Network (CVNN) this research seeks to identify and classify grape leaf diseases through a series of experiments. A total of 100 images divided into 4 classes namely Black Rot, ESCA, Leaf Blight, and Healthy were collected to train the model. The results show that the trained CVNN model successfully achieved a training accuracy of 100% and a testing accuracy of 97%, demonstrating excellent performance in classifying grape leaf diseases. This states that the proposed approach has great potential to be an effective tool in helping growers manage their vineyards more efficiently and effectively. The developed image processing method is expected to be applied in designing a system to perform image classification of diseases on grape leaves.

Keywords: Image Classification, Leaf Disease, Vine, Image Processing, CVNN

¹
This is an open access article under the [CC BY](#) license.



*Corresponding Author: Author2

1. INTRODUCTION

Vineyard management plays an important role in ensuring the quality and yield of grapes, which is vital to the agricultural economy [1]. Central to effective vineyard management is the timely detection and control of diseases affecting grape leaves. These diseases can have a significant impact on plant health and productivity. Traditional disease detection methods often rely on visual inspection by experienced agronomists, making them time-consuming and prone to human error [2]. However, recent advances in image processing and deep learning provide opportunities to automate the disease detection process with improved accuracy and efficiency.

Artificial Intelligence (AI) is a computer science that studies how a system can imitate human intelligence or commonly called artificial intelligence [3]. Artificial intelligence has many branches of science, one of which is machine learning. Machine learning is a type of Artificial Intelligence (AI) that gives computers the ability to learn from data, without

explicitly following programmed instructions [4]. Artificial intelligence-based leaf disease classification technology can help farmers in accelerating the process of identifying diseases that attack the leaves of grape plants, one of which is by using the Complex-Valued Neural Network (CVNN).

Technologies such as Complex-Valued Neural Network (CVNN) have advantages that are particularly relevant in the classification of grape leaf diseases. In a comparative study that included CNN and CV-CNN, CVNN was shown to be able to cope with complex image data, such as color and texture features in images [5]. The ability of the Complex-Valued Neural Network (CVNN) to efficiently combine and understand such features is an advantage in detecting small differences often found in grapevine diseases.

Experimental results also show that Complex-Valued Neural Network (CVNN) is able to outperform real-valued CNN models with higher accuracy [6]. In the context of grape leaf disease classification,

increased accuracy is key to identifying and classifying diseases more precisely. In addition, the use of complex-valued data in grape leaf images that often have complex components would better suit the capabilities of a Complex-Valued Neural Network (CVNN). Thus, the Complex-Valued Neural Network (CVNN) can improve the model's ability to understand and process data that has both real and imaginary components that are usually difficult for conventional neural networks to cope with.

Various related studies that have been conducted previously for the classification of grape leaf diseases using CNN-VGG16 model image processing techniques by Hasan get 99.50%. The dataset used was 4000 images of grape leaves with four classes and 100 images from Google which were used as test data outside the dataset [7]. This study noted that the use of test images outside the dataset resulted in a lower accuracy rate (95%) compared to the test data in the dataset (97.25%). Complex-Valued Neural Network (CVNN) can utilize its ability to cope with complex data to improve the recognition accuracy of out-of-dataset images that may have greater variation [8].

Another study by Simanjuntak used the GLCM, Color Moment, and K*Tree methods [9]. The accuracy obtained in this study was 87.5%. The research dataset is divided into 150 images for training data and 100 images for test data. This research involves manual extraction of features such as Gray Level Co-Occurrence Matrix (GLCM) and Color Moment. Complex-Valued Neural Network (CVNN) has the ability to perform automatic feature extraction where the model can automatically recognize important features in the image, such as edges, texture, or color without requiring manual extraction [10].

Therefore, this research implements the Complex-Valued Neural Network (CVNN) method and compares it with the Convolutional Neural Network (CNN) method in the context of grape leaf disease detection. By utilizing technology capable of handling complex image data, the Complex-Valued Neural Network (CVNN) has the potential to be an effective tool in accelerating and improving the accuracy of the grape leaf disease identification process. As such, this effort is expected to make a significant contribution to efficient vineyard management, increase agricultural productivity, and support economic growth in the agricultural sector.

2. RESEARCH METHOD

As a reference for conducting the research to achieve the expected objectives, the research methodology is carried out sequentially. The steps of this research are described using a research flow chart Figure 1 illustrates the stages of research that will be followed and serves as a comprehensive guide throughout the research process.




Figure 1. Digram of Research Method

2.1 Datasets Collecting

Researchers collected image data of grapevine diseases using secondary data as many as 100 images divided into 4 classes namely black rot, ESCA, leaf blight and healthy. Each class has 25 images in png format.

2.2 Data Splitting

At this step, the process of dividing data (split data) into training data and testing data is carried out. This process is a process to divide the data set that has previously been sorted and labelled. This process generally aims at training, and testing machine learning models. The data division method is carried out into two subsets, namely training data and test data using the percentage split method.

Percentage split is a commonly used approach in data processing and modelling [11]. In this method, the initial data is split by a certain percentage, where most of the data will be used to train the model (training data) and the rest will be used to test the performance of the model (testing data).

2.3 Complex-Valued Neural Network Model

Complex-Valued Neural Network (CVNN) is a type of neural network specifically designed to work with two-dimensional images. In image classification tasks, a Complex-Valued Neural Network (CVNN) considers an image as input, and this image is divided into one or more 2D matrices or image channels that are used as input in the object recognition or image classification process. This allows the network to

understand the structure and characteristics of the image for tasks such as object recognition or image classification. One of the most important characteristics of a complex-valued neural network is its ability to process complex-valued information precisely [12]. Complex-Valued Neural Network (CVNN) can improve the model's ability to understand and process data that has both real and imaginary components, which is usually difficult for conventional neural networks to cope with.

In Complex-Valued Neural Network (CVNN) the inputs, weights, thresholds, and outputs are complex-valued. The input U_n to the complex-valued neuron n is defined as follows [13]:

$$U_n = \sum_m W_{nm} X_m + T_n \quad (1)$$

With:

W_{nm} = the (complex-valued) weight connecting complex-valued neuron n with complex-valued neuron m

X_m = input (complex value) of complex value neuron m

T_n = threshold (complex value) of neuron n

The following is the architecture of the Complex-Valued Neural Network (CVNN) [14]:




Figure 2. Complex-Valued Neural Network Architecture

Modelling is performed with the aim of producing feature extraction on data that has previously been trained based on data that has been organised into training data and test data. This process enables the Complex-Valued Neural Network (CVNN) model to learn intricate patterns and relationships within the image data, thereby enhancing its ability to generalize well to unseen instances during the testing phase.

This Complex-Valued Neural Network (CVNN) model consists of a complex convolution layer, complex pooling, complex flattening layer, and a fully connected layer or dense layer as shown in Figure 3. The process in this Complex-Valued Neural Network (CVNN) model begins with an input image with a size of 150x150 pixels, the image will be processed at the convolution stage, and maxpolling this stage will be repeated 4 times before the data is processed at the flatten stage to change the shape of the array and the fully connected layer stage for the weight update process that occurs in the model. This process allows the model to adaptively adjust the feature representation required to distinguish between different grapevine disease classes, thereby improving classification accuracy. The following is an overview

of the Complex-Valued Neural Network (CVNN) architecture used.




Figure 3. Layers of the CVNN Architecture

This research considers the setting of hyperparameter values such as epochs and the choice of optimiser as key factors in producing optimal model performance. Choosing the right optimiser has a significant impact on the speed of convergence and the quality of the resulting model. Therefore, in this study, two commonly used optimisers were selected, namely Stochastic Gradient Descent (SGD) and RMSprop.

Firstly, SGD is a popular choice due to its simplicity and efficiency. It works by updating the model parameters based on the gradient of the selected random samples. As such, SGD is suitable for large datasets as it enables fast model learning and minimises computation time.

Secondly, RMSprop was chosen for its ability to handle the problem of different learning rates for each parameter. It adaptively adjusts the learning rate for each parameter based on the gradient history, making it more effective in finding the optimum point in the parameter space. This makes RMSprop particularly suitable for datasets with varying scales or when the gradients of various features fluctuate significantly.

Using SGD and RMSprop as optimisers in scenarios of hyperparameter epoch values of 10, 30, 50, and 100, this study aims to gain a comprehensive understanding of how model performance evolves as epoch values vary, as well as how the two optimisers affect the convergence and quality of the resulting models. Additionally, by systematically exploring different combinations of optimisers and epoch values, this research seeks to identify the optimal

configuration that maximises both accuracy and efficiency in grape leaf disease classification tasks.

2.3 Convolutional Neural Network Model

A neural network specifically designed to handle image processing problems. Convolutional neural network (CNN) is an effective method to classify, identify and recognise patterns in images. Convolutional neural network (CNN) is able to understand image details better because it has an architecture that matches the way the human brain processes visual information. The data used in Convolutional neural network (CNN) is two-dimensional data, such as images or sounds, and uses convolution operations in matrices and four-dimensional weights which are a set of convolution kernels. With the nature of the convolution process, Convolutional neural network (CNN) can only be used on data that has a two-dimensional data structure [15]. The following is the architecture of the Convolutional Neural Network (CNN) [16]:






Figure 4. Convolutional Neural Network Architecture



3. RESULT AND DISCUSSION

3.1 Dataset

The dataset used is 100 images of grape leaves with 4 classes consisting of 25 images from each class. Here is an example of the sample data used:

Table 1. Datasets

No	Name	Grape Leaf	Number of Sample
1	Black Rot		25
2	Esca		25

No	Name	Grape Leaf	Number of Sample
3	Leaf Blight		25
4	Healthy		25

The data collection procedure was conducted by directly photographing the leaves, thereby enhancing the representativeness of the entire dataset. Furthermore, the dataset is partitioned into separate training and test subsets to facilitate training the model practically and evaluating its performance accurately. These datasets may include variations in image quality, lighting conditions, and orientation, which pose challenges for the model to demonstrate performance and adaptability across different situations.

3.2 Complex-Valued Neural Network and Convolutional Neural Network Experiments

The following is a scenario of experiments conducted in this research. Experiments carried out include data division, image input, epoch and batch size used. This scenario is used in the Complex-Valued Neural Network (CVNN) and Convolutional Neural Network (CNN) models:

Table 2. Experiment Scenario

Dataset Type	Description
Pembagian Data	80% data latih dan 20% data uji
Input citra	150 x 150
Epoch	10, 30, 50, dan 100
Batch size	10
Class	4 class

Table 2 presents information related to the datasets used in research or experiments related to the classification of grape leaf disease images. Data division is done by using 80% of the total dataset as training data to train the model, while the remaining 20% is used as test data to test the performance of the trained model. The image used has a size of 150 x 150 pixels, which is the standard dimension in image processing. In addition, the model training process is performed with a varying number of iterations or epochs, namely 10, 30, 50, and 100, which indicates

the number of times the entire dataset is used to train the model. The batch size, which is the number of data samples processed in one training iteration, was set at 10. Finally, the dataset consists of four classes or categories that represent the different types of grape leaf diseases to be classified. With the information structured in the table, researchers can organise and prepare experiments more systematically to produce reliable results in the classification of grape leaf diseases using image processing techniques.

The Complex-Valued Neural Network (CVNN) model used is a neural network model that is arranged sequentially, meaning that each layer is connected sequentially. The model consists of different types of layers that are useful for processing complex image data. Firstly, there is the ComplexConv2D layer that uses 32 filters with a kernel size of (3,3) and uses the ReLU activation function. The input image is expected to have dimensions of (150, 150, 3), which indicates an image of 150x150 pixels with 3 colour channels (RGB). Next, the ComplexMaxPooling2D layer is used to reduce the image dimension by selecting the maximum value in a window of size (2,2). This process continues with the addition of a complex convolution layer and a complex max pooling layer successively, each with increasing filter complexity. After a series of convolution and max pooling layers, the result is flattened using the ComplexFlatten layer to produce a one-dimensional vector. This vector is then connected to a fully connected ComplexDense layer consisting of 512 neurons with a ReLU activation function. A ComplexDense layer with 4 neurons and a softmax activation function is used to generate the classification output, where each neuron represents the prediction probability for each of the four classes in the grape leaf disease image classification. Here is the summary of the Complex-Valued Neural Network model

Layer (type)	Output Shape	Param #
complex_conv2d (ComplexConv2D)	(None, 148, 148, 32)	896
complex_max_pooling2d (ComplexMaxPooling2D)	(None, 74, 74, 32)	0
complex_conv2d_1 (ComplexConv2D)	(None, 72, 72, 64)	18496
complex_max_pooling2d_1 (ComplexMaxPooling2D)	(None, 36, 36, 64)	0
complex_conv2d_2 (ComplexConv2D)	(None, 34, 34, 128)	73856
complex_max_pooling2d_2 (ComplexMaxPooling2D)	(None, 17, 17, 128)	0
complex_conv2d_3 (ComplexConv2D)	(None, 15, 15, 128)	147584
complex_max_pooling2d_3 (ComplexMaxPooling2D)	(None, 7, 7, 128)	0
complex_flatten (ComplexFlatten)	(None, 6272)	0
complex_dense (ComplexDense)	(None, 512)	3211776
complex_dense_1 (ComplexDense)	(None, 4)	2052

Total params: 3454668 (13.18 MB)
 Trainable params: 3454668 (13.18 MB)
 Non-trainable params: 0 (0.00 Byte)

Figure 5. Summary of CVNN Model

The Convolutional Neural Network (CNN) model used has several layers. Firstly, the Conv2D layer is used to convolve the input image using 32 filters with kernel size (3,3) and ReLU activation function. The MaxPooling2D layer is then used to reduce the image dimension by selecting the maximum value in a window of size (2,2). This process is repeated by adding Conv2D and MaxPooling2D layers, with increasing filter complexity at each convolution layer. After that, the final convolution result is flattened into a one-dimensional vector using the Flatten layer, so that it can be connected to the fully connected layer. The first Dense layer with 512 neurons and ReLU activation function is used to process the input vector. Finally, the last Dense layer with 4 neurons and activation function softmax produces the classification output, where each neuron represents the prediction probability for each of the four classes in the image classification. Here is the summary of the Convolutional Neural Network model.

Layer (type)	Output Shape	Param #
conv2d (Conv2D)	(None, 148, 148, 32)	896
max_pooling2d (MaxPooling2D)	(None, 74, 74, 32)	0
conv2d_1 (Conv2D)	(None, 72, 72, 64)	18496
max_pooling2d_1 (MaxPooling2D)	(None, 36, 36, 64)	0
conv2d_2 (Conv2D)	(None, 34, 34, 128)	73856
max_pooling2d_2 (MaxPooling2D)	(None, 17, 17, 128)	0
conv2d_3 (Conv2D)	(None, 15, 15, 128)	147584
max_pooling2d_3 (MaxPooling2D)	(None, 7, 7, 128)	0
flatten (Flatten)	(None, 6272)	0
dense (Dense)	(None, 512)	3211776
dense_1 (Dense)	(None, 4)	2052

Total params: 3454668 (13.18 MB)
 Trainable params: 3454668 (13.18 MB)
 Non-trainable params: 0 (0.00 Byte)

Figure 6. Summary of CNN Model

3.3 Model Analysis

After the experiments that have been carried out, the accuracy of the Complex-Valued Neural Network (CVNN) model is obtained. The following table compares the accuracy of the CVNN model:

Table 3. Comparison of accuracy and loss on train, val, and test data of CVNN model

Epoch	Optimizer	Train		Val		Test	
		Acc	Loss	Acc	Loss	Acc	Loss
10	SGD	0.65	0.91	0.62	0.95	0.56	1.02
	RMS-prop	0.81	0.49	0.79	0.53	0.75	0.59
30	SGD	0.85	0.35	0.79	0.49	0.69	0.53
	RMS-prop	0.94	0.18	0.89	0.36	0.83	0.52
50	SGD	0.92	0.21	0.87	0.36	0.87	0.38
	RMS-prop	0.99	0.01	0.85	0.89	0.89	0.48
100	SGD	0.97	0.06	0.85	0.34	0.86	0.36
	RMS-prop	1.0	0.002	0.89	0.69	0.97	0.26
Rata-rata		0.89	0.27	0.81	0.57	0.80	0.51

50

The following table compares the accuracy results of CNN model experiments:

Table 4. Comparison of accuracy and loss on train, val, and test data of CNN model

Epoch	Optimizer	Train		Val		Test	
		Acc	Loss	Acc	Loss	Acc	Loss
10	SGD	0.71	1.02	0.60	1.04	0.58	1.09
	RMS-prop	0.79	0.46	0.78	0.58	0.66	0.63
30	SGD	0.77	0.49	0.73	0.73	0.67	0.74
	RMS-prop	0.94	0.15	0.93	0.31	0.82	0.46
50	SGD	0.82	0.39	0.78	0.56	0.76	0.51
	RMS-prop	0.97	0.07	0.87	0.58	0.89	0.67
100	SGD	0.98	0.07	0.78	0.46	0.88	0.24
	RMS-prop	0.96	0.14	0.90	0.64	0.80	0.97
Rata-rata		0.86	0.34	0.79	0.61	0.75	0.66

In Table 3 comparing the Complex-Valued Neural Network (CVNN) model, the RMSprop optimiser with 100 epochs shows the highest performance. On the train data, this model achieved a perfect accuracy of 100% with a very low loss value of only 0.002. While on validation data, the Complex-Valued Neural Network (CVNN) achieved an accuracy of 89% with a loss of 0.68. In the last evaluation stage, when tested using test data, this model is still able to maintain excellent performance with an accuracy of 97% and a loss of 0.27.

In Table 4 comparison of Convolutional Neural Network (CNN) models, the RMSprop optimiser with epoch 50 shows the highest performance with accuracy on train data of 97% and loss of 0.07. While the validation data achieved an accuracy of 87% and a loss of 0.58. In the testing phase using test data, it achieved an accuracy of 89% with a loss of 0.67.

Figure 7 is an evaluation graph depicting the training and validation accuracy as well as the training and validation loss of the Complex-Valued Neural Network (CVNN) model using the RMSprop optimiser with 100 epochs which provides a clearer visual representation of how the model's performance evolves with the training and validation process.




Figure 7. CVNN Model Evaluation Graph

Figure 8 is an evaluation graph that illustrates the training and validation accuracy and training and validation loss of the Convolutional Neural Network (CNN) model using the RMSprop optimiser with an epoch of 50.




Figure 8. CNN Model Evaluation Graph

4. CONCLUSION

Based on the results of the research conducted, it is concluded that the Complex-Valued Neural Network (CVNN) model shows the best performance compared to Convolutional Neural Network (CNN) in the classification of grape leaf disease images. The Complex-Valued Neural Network (CVNN) with RMSprop optimiser at 100 epochs showed the best configuration, displaying the highest accuracy on training (100%), validation (89%), and test (97%) data, as well as low loss on each dataset. This research emphasises the important role of optimiser selection and training duration in optimising model performance. However, while the Complex-Valued Neural Network (CVNN) is capable of delivering impressive results, there are issues to be aware of, namely that there are values where accuracy is high but loss is also high. Therefore, maximising the potential of the Complex-Valued Neural Network (CVNN) in image classification applications requires proper hyperparameter adjustment.

5. REFERENCE

- [1] I. Y. Purbasari, B. Rahmat, dan C. S. Putra PN, "Detection of Rice Plant Diseases using Convolutional Neural Network," *IOP Conf. Ser. Mater. Sci. Eng.*, vol. 1125, no. 1, hal. 012021, 2021, doi: 10.1088/1757-899x/1125/1/012021.
- [2] Nurlisa Aulia, I. Gede Susrama, dan I. Yulia Puspaningrum, "Sistem Pakar Diagnosis Penyakit Pencernaan Kucing Menggunakan Naïve Bayes Dan Certainty Factor," *J. Inform. dan Sist. Inf.*, vol. 2, no. 2, hal. 138-144, 2021, doi: 10.33005/jifosi.v2i2.347.
- [3] D. A. Prasetya, P. T. Nguyen, R. Faizullin, I. Iswanto, dan E. F. Armay, "Resolving the shortest path problem using the haversine algorithm," *J. Crit. Rev.*, vol. 7, no. 1, hal. 62-64, 2020, doi: 10.22159/jcr.07.01.11.
- [4] T. M. Fahrudin, P. A. Riyantoko, K. M. Hindrayani, dan E. M. Safitri, "An Introduction To Machine Learning Games And Its Application For Kids In Fun Project," *Int. J. Comput. Netw. Secur. Inf. Syst.*, vol. 2, no. 1, hal. 26-30, 2020, [Daring]. Tersedia pada: <https://machinelearningforkids.co.uk>
- [5] S. Chatterjee, P. Tummala, O. Speck, dan A. Nurnberger, "Complex Network for Complex Problems: A comparative study of CNN and Complex-valued CNN," *5th IEEE Int. Image*

- Process. Appl. Syst. Conf. IPAS 2022*, 2022, doi: 10.1109/IPAS55744.2022.10053060.
- [6] J. A. Barrachina, "Complex-Valued Neural Networks for Radar Applications," 2022.
- [7] M. A. Hasan, Y. Riyanto, dan D. Riana, "Grape leaf image disease classification using CNN-VGG16 model," *J. Teknol. dan Sist. Komput.*, vol. 9, no. 4, hal. 218–223, 2021, doi: 10.14710/jtsiskom.2021.14013.
- [8] H. Zhang *dkk.*, "An optical neural chip for implementing complex-valued neural network," *Nat. Commun.*, vol. 12, no. 1, hal. 1–11, 2021, doi: 10.1038/s41467-020-20719-7.
- [9] S. S. Simanjuntak, H. Sinaga, K. Telaumbanua, dan A. Andri, "Klasifikasi Penyakit Daun Anggur Menggunakan Metode GLCM, Color Moment dan K*Tree," *J. SIFO Mikroskil*, vol. 21, no. 2, hal. 93–104, 2021, doi: 10.55601/jsm.v21i2.754.
- [10] J. Yang, H. Gu, C. Hu, X. Zhang, G. Gui, dan H. Gacanin, "Deep Complex-Valued Convolutional Neural Network for Drone Recognition Based on RF Fingerprinting," *Drones*, vol. 6, no. 12, hal. 1–19, 2022, doi: 10.3390/drones6120374.
- [11] A. Septiarini, Rizqi Saputra, Andi Tejawati, dan Masna Wati, "Deteksi Sarung Samarinda Menggunakan Metode Naive Bayes Berbasis Pengolahan Citra," *J. RESTI (Rekayasa Sist. dan Teknol. Informasi)*, vol. 5, no. 5, hal. 927–935, 2021, doi: 10.29207/resti.v5i5.3435.
- [12] J. A. Barrachina, C. Ren, G. Vieillard, C. Morisseau, dan J.-P. Ovarlez, "Theory and Implementation of Complex-Valued Neural Networks," 2023, no. June, hal. 1–42. [Daring]. Tersedia pada: <http://arxiv.org/abs/2302.08286>
- [13] H. A. Jalab dan R. W. Ibrahim, "New activation functions for complex-valued neural network," *Int. J. Phys. Sci.*, vol. 6, no. 7, hal. 1766–1772, 2011, doi: 10.5897/IJPS11.105.
- [14] L. Yu, Y. Hu, X. Xie, Y. Lin, dan W. Hong, "Complex-Valued Full Convolutional Neural Network for SAR Target Classification," *IEEE Geosci. Remote Sens. Lett.*, vol. 17, no. 10, hal. 1752–1756, 2020, doi: 10.1109/LGRS.2019.2953892.
- [15] A. Anhar dan R. A. Putra, "Perancangan dan Implementasi Self-Checkout System pada Toko Ritel menggunakan Convolutional Neural Network (CNN)," *ELKOMIKA J. Tek. Energi Elektr. Tek. Telekomun. Tek. Elektron.*, vol. 11, no. 2, hal. 466, 2023, doi: 10.26760/elkomika.v11i2.466.
- [16] P. Raghav, "Understanding of Convolutional Neural Network (CNN) — Deep Learning," *Medium*, 2018.

Jurnal - Irma Amanda Putri

ORIGINALITY REPORT

20%

SIMILARITY INDEX

12%

INTERNET SOURCES

14%

PUBLICATIONS

4%

STUDENT PAPERS

PRIMARY SOURCES

1	dspace.umkt.ac.id Internet Source	1%
2	Tohru Nitta. "Complex-Valued Neural Network and Complex-Valued Backpropagation Learning Algorithm", Elsevier BV, 2008 Publication	1%
3	Saoud, L. Saad, F. Rahmoune, V. Tourtchine, and K. Baddari. "Complex-valued forecasting of the global solar irradiation", Journal of Renewable and Sustainable Energy, 2013. Publication	1%
4	peerj.com Internet Source	1%
5	"Advances in Visual Computing", Springer Science and Business Media LLC, 2019 Publication	1%
6	Submitted to Universitas Amikom Student Paper	1%
7	slideplayer.com Internet Source	1%

8

Tohru Nitta. "The uniqueness theorem for complex-valued neural networks and the redundancy of the parameters", Systems and Computers in Japan, 2003

Publication

1 %

9

R Karthik, R Menaka, S Ompirakash, P Bala Murugan, M Meenakashi, Sindhia Lingaswamy, Daehan Won. "GrapeLeafNet: A Dual-Track Feature Fusion Network with Inception-ResNet and Shuffle-Transformer for Accurate Grape Leaf Disease Identification", IEEE Access, 2024

Publication

1 %

10

dergipark.org.tr

Internet Source

<1 %

11

ijconsist.org

Internet Source

<1 %

12

www.stmik-budidarma.ac.id

Internet Source

<1 %

13

Kai Ma. "Complex-Valued Neural Network Based Detector for MIMO-OFDM Systems", Advances in Intelligent and Soft Computing, 2012

Publication

<1 %

14

Ni Wayan Sumartini Saraswati, I Putu Krisna Suarendra Putra, I Dewa Made Krishna Muku, Gede Dana Pramitha. "Support Vector

<1 %

Machine For Hoax Detection", SINTECH
(Science and Information Technology) Journal,
2023

Publication

15

S. Dhivya, Prabu Mohandas. "Chapter 9
Comparison of Convolutional Neural
Networks and K-Nearest Neighbors for Music
Instrument Recognition", Springer Science
and Business Media LLC, 2023

Publication

16

gssrr.org
Internet Source

<1 %

17

Hirose, Akira. "Application Fields and
Fundamental Merits of Complex-Valued
Neural Networks", Complex-Valued Neural
Networks Advances and Applications, 2013.

Publication

18

R.M.I.S Kumarasingha, D.M.C.L.B
Dissanayake, P.S.R Pathirathne, K.M.M.Y.S
Ranathunga, Samantha Rajapakshe, Vindhya
Kalapuge. "Early Detection and Effective
Treatment for ADHD using Machine Learning
for Sri Lankan Children", 2023 5th
International Conference on Advancements in
Computing (ICAC), 2023

Publication

19

Ahmed Kasapbaşı, Hüseyin Canbolat.
"Prediction of Turkish Sign Language

<1 %

Alphabets Utilizing Deep Learning Method",
2023 5th International Congress on Human-
Computer Interaction, Optimization and
Robotic Applications (HORA), 2023

Publication

20

K. Venkatanaresbhabu, S. Nisheel, R.
Sakthivel, K. Muralitharan. "Novel elegant
fuzzy genetic algorithms in classification
problems", Soft Computing, 2018

Publication

21

Submitted to University of Strathclyde

Student Paper

22

jurnal.iaii.or.id

Internet Source

23

polgan.ac.id

Internet Source

24

Submitted to Coventry University

Student Paper

25

Lingjuan Yu, Zhaoxin Zeng, Ao Liu, Xiaochun
Xie, Haipeng Wang, Feng Xu, Wen Hong. "A
Lightweight Complex-valued DeepLabv3+ for
Semantic Segmentation of PolSAR Image",
IEEE Journal of Selected Topics in Applied
Earth Observations and Remote Sensing,
2022

Publication

<1 %

<1 %

<1 %

<1 %

<1 %

<1 %

26 Nitta, Tohru. "Orthogonal Decision Boundaries and Generalization of Complex-Valued Neural Networks", Complex-Valued Neural Networks Theories and Applications, 2003. <1 %
Publication

27 Ozdemir, N.. "Complex valued neural network with Mobius activation function", Communications in Nonlinear Science and Numerical Simulation, 201112 <1 %
Publication

28 Tohru Nitta. "Natural Gradient Descent for Training Stochastic Complex-Valued Neural Networks", International Journal of Advanced Computer Science and Applications, 2014 <1 %
Publication

29 export.arxiv.org <1 %
Internet Source

30 ijece.iaescore.com <1 %
Internet Source

31 Eko Setiawan, Dahnia Syauqy. "Semi-Adaptive Control Systems on Self-Balancing Robot using Artificial Neural Networks", INTENSIF: Jurnal Ilmiah Penelitian dan Penerapan Teknologi Sistem Informasi, 2021 <1 %
Publication

32 Jameel Ahmed Bhutto, Ruihong Zhang, Ziaur Rahman. "Symmetric Enhancement of Visual Clarity through a Multi-Scale Dilated Residual Recurrent Network Approach for Image Deraining", Symmetry, 2023
Publication <1 %

33 Lars Banko, Yury Lysogorskiy, Dario Grochla, Dennis Naujoks, Ralf Drautz, Alfred Ludwig. "Predicting structure zone diagrams for thin film synthesis by generative machine learning", Communications Materials, 2020
Publication <1 %

34 Tohru Nitta. "Orthogonality of Decision Boundaries in Complex-Valued Neural Networks", Neural Computation, 2004
Publication <1 %

35 aircconline.com
Internet Source <1 %

36 etheses.uin-malang.ac.id
Internet Source <1 %

37 journal.ipb.ac.id
Internet Source <1 %

38 mail.easychair.org
Internet Source <1 %

39 Abdul Rahman Hafiz. "Real-Time Hand Gesture Recognition Using Complex-Valued

Neural Network (CVNN)", Lecture Notes in Computer Science, 2011

Publication

40

Lee, Dong-Liang. "Complex-Valued Neural Associative Memories: Network Stability and Learning Algorithm", Complex-Valued Neural Networks Theories and Applications, 2003.

Publication

<1 %

41

Muhammad Ibnu Alfarizi, Lailis Syafaah, Merinda Lestandy. "Emotional Text Classification Using TF-IDF (Term Frequency-Inverse Document Frequency) And LSTM (Long Short-Term Memory)", JUITA : Jurnal Informatika, 2022

Publication

<1 %

42

Zinon Zinonos, Socratis Gkelios, Ala F. Khalifeh, Diofantos G. Hadjimitsis, Yiannis Boutalis, Savvas A. Chatzichristofis. "Grape Leaf Diseases Identification System Using Convolutional Neural Networks and LoRa Technology", IEEE Access, 2021

Publication

<1 %

43

dokumen.pub

Internet Source

<1 %

44

irjaes.com

Internet Source

<1 %

45

jurnal.unimor.ac.id

Internet Source

<1 %

46

wrap.warwick.ac.uk

Internet Source

<1 %

47

Sandra Costanzo, Alexandra Flores. "CVNN-Based Microwave Imaging Approach", 2023 IEEE Conference on Antenna Measurements and Applications (CAMA), 2023

Publication

<1 %

48

Wang, Sifan. "Physics-Informed Machine Learning: Theory, Algorithms and Applications", University of Pennsylvania, 2024

Publication

<1 %

49

Cheolwoo You, Daesik Hong. "Nonlinear blind equalization schemes using complex-valued multilayer feedforward neural networks", IEEE Transactions on Neural Networks, 1998

Publication

<1 %

50

I Gede Susrama Mas Diayasa, Mohammad Idhom, Akhmad Fauzi, Aviolla Terza Damaliana. "Stacking Ensemble Methods to Predict Obesity Levels in Adults", 2022 IEEE 8th Information Technology International Seminar (ITIS), 2022

Publication

<1 %

51

Imam Riadi, Abdul Fadlil, Izzan Julda D.E
Purwadi Putra. "Batik Pattern Classification
using Naïve Bayes Method Based on Texture
Feature Extraction", Khazanah Informatika :
Jurnal Ilmu Komputer dan Informatika, 2023
Publication

<1 %

Exclude quotes Off

Exclude matches Off

Exclude bibliography On