

Jurnal_Adinda_Aulia_Rahmawati i.pdf *by . .*

Submission date: 05-Apr-2024 02:14PM (UTC+0800)

Submission ID: 2340543097

File name: Jurnal_Adinda_Aulia_Rahmawati.pdf (414.66K)

Word count: 3116

Character count: 16358

CLASSIFICATION OF JAVANESE NGLEGENA SCRIPT USING COMPLEX-VALUED NEURAL NETWORK

Adinda Aulia Rahmawati¹, Amri Muhaimin^{2*}, Dwi Arman Prasetya³

¹Program Studi Sains Data, Universitas Pembangunan Nasional Veteran Jawa Timur, Surabaya, Indonesia
Email: ¹20083010009@student.upnjatim.ac.id, ²amri.muhaimin.stat@upnjatim.ac.id,
³arman.prasetya.sada@upnjatim.ac.id

(Received: dd mmm yyyy, Revised: dd mmm yyyy, Accepted: dd mmm yyyy)

Abstract

18
Javanese script is one of the traditional scripts in Indonesia used by the Javanese people. The Javanese script used in Javanese spelling basically consists of 20 main characters (nglegena), namely from the Ha to Nga script. Javanese script has very high value, the uniqueness of the script is one thing that must be preserved. However, widespread use of Javanese script has declined as technology has developed. In this context, one of the problems that arises is the difficulty in automatically recognizing and classifying the Javanese Nglegena script. Therefore, the use of computational methods to automatically classify the Nglegena Java script is very important. This research compares 2 methods for classifying Javanese Nglegena script, namely Complex-Valued Neural Network (CVNN) and Convolutional Neural Network (CNN). This research aims to compare the best accuracy between CVNN and CNN. In this study, the Complex-Valued Neural Network method had a higher average accuracy, namely 96.332% and a loss of 0.1834. Meanwhile, the CNN method has an average accuracy of 93.72% and a loss of 0.4254. Artificial intelligence-based Javanese Nglegena script classification technology can help people to recognize the Javanese Nglegena script, especially in the fields of education and culture.

Keywords: Nglegena Javanese Script, Classification, CVNN, CNN

3
This is an open access article under the CC BY license.



*Corresponding Author: Author2

1. INTRODUCTION

Indonesia is an archipelagic country that has various ethnicities, races, religions, languages and cultures. This is what causes the Indonesian nation to have a rich culture and unique characteristics in each region. One reflection of culture in Indonesia is the many languages that were born in Indonesia[1]. A culture basically has various types. One of the cultural dimensions that is very influential is regional languages. In regional languages there are characters as a form of writing or representation of the language. One language that has special characters as a form of writing for the language is Javanese with Javanese writing or better known as Javanese script.[2].

Javanese script or Hanacaraka/Carakan is one of the traditional scripts in Indonesia [3]. Javanese script is used by Javanese people, especially in royal palaces such as Yogyakarta and Surakarta, to develop the tradition of writing in Javanese. [4]. Hanacaraka is generally used to write texts such as stories (serat),

historical notes (babad), ancient songs (kakawin), or predictions (primbon). The Javanese script used in Javanese spelling basically consists of 20 main characters (nglegena), namely from the Ha to Nga script. The main character has the meaning of the wuda (naked) character because it has not been followed by sandhangan[5]. The Javanese script is still related to the Balinese script, which is both a development of the Kawi script. Javanese script was previously used in everyday life, but was reduced after being banned by the Japanese government and the introduction of Latin letters in Java. This caused the beginning of the extinction of the Javanese script[6].

Javanese script has a long history and is an important cultural heritage. However, widespread use of Javanese script has declined with the development of modern communications technology. This causes a decrease in the number of individuals who are able to read, write and recognize Javanese script. Therefore, it is important to develop technology that can assist in the maintenance and restoration of Javanese script. In

this context, one of the problems that arises is the difficulty in recognizing and classifying Javanese characters automatically. Manual recognition of Javanese script requires in-depth knowledge and special skills, which not everyone has[7]. Therefore, the use of computational methods to automatically classify Javanese characters is very important. Artificial intelligence is developing very rapidly, artificial intelligence has the ability, one of which is to classify images into certain groups[8].

Artificial intelligence-based Javanese script classification technology can help people get to know Javanese script, especially in the fields of education and culture. The use of Complex-Valued Neural Network technology can be an interesting idea to help understand and process data that has complex properties in the form of characters. This method can be used in various applications, such as recognizing the characters of each letter of the Javanese Nglegena script or in order to preserve and promote Javanese culture.[9].

There is similar research that has been carried out previously for the classification of Javanese script using the Backpropagation Neural Network method. The accuracy obtained in this study was 76.1% with 156 correct and 49 errors in classification from a total of 205 data[10]. Other research using Convolutional Neural Networks for Javanese script classification obtained accuracy results of 85%. The dataset used is 20 classes of Javanese script data, each of which is contained in each folder containing 108 images[11].

Based on the problems described above, the author is interested in conducting research that can be used by someone who wants to learn the Javanese Nglegena script independently. Apart from that, the author also wants to introduce the Complex-Valued Neural Network method which is still rarely used for image classification. Therefore, the author conducted research with the title "Classification of Javanese Script Using Complex-Valued Neural Network". This research can classify and recognize Javanese Nglegena script, from Ha to Nga, using the Complex-Valued Neural Network method.

2. RESEARCH METHOD

The methods used in this research are Complex-Valued Neural Network (CVNN) and Convolutional Neural Network (CNN). This research uses the same layer architecture and parameters to compare the best accuracy between the CVNN and CNN methods. The only difference in the CVNN method is that in its architecture there is an additional complex.

2.1 Complex-Valued Neural Network

Complex-Valued Neural Network is a system that processes complex-valued input using complex-valued weights, thresholds and activation functions and produces complex-valued output. One of the characteristics of CVNN is its ability to process complex value information precisely. CVNN can

improve the model's ability to understand and process data that has real and imaginary components, which is usually difficult for conventional neural networks to handle.[12]. The Complex-Valued Neural Network system consists of many complex-valued perceptrons that are connected to each other. The learning process in Complex-Valued Neural Network is carried out using complex-valued backpropagation[13].




Figure 1. Complex-Valued Neural Network

2.2 Convolutional Neural Network

CNN is simply an artificial neural network that uses a convolution multiplication matrix in its architecture [14]. The convolution function in CNN is used for feature extraction, and from this process it will produce certain features which will be processed by the multilayer perceptron to produce an output from the input.[15]. There are three main processes in the convolution layer, namely convolution, sub sampling / pooling, and ReLu activation [16].
























Figure 2. Convolutional Neural Network

3. RESULT AND DISCUSSION

The dataset used is the Nglegena Javanese script dataset which consists of 20 classes, namely "ha", "na", "ca", "ra", "ka", "da", "ta", "sa", "wa", "la", "pa", "dha", "ja", "ya", "nya", "ma", "ga", "ba", "tha", "nga". In this research, there are 2 data sources used, namely primary data and secondary data. Primary data obtained by handwriting from all groups, such as elementary school, middle school, high school, college students, and people both young and old. The primary data used were 400 images of Javanese script letters with 20 classes consisting of 20 handwriting samples from different people. Secondary data is used to support primary data.

Table 1. Nglegena Javanese Script Dataset

No	Figure	Javanese Script Class	Quantity
1.		script "Ha"	20
2.		script "Na"	20
3.		script "Ca"	20
4.		script "Ra"	20
5.		script "Ka"	20
6.		script "Da"	20
7.		script "Ta"	20
8.		script "Sa"	20
9.		script "Wa"	20
10.		script "La"	20
11.		script "Pa"	20

No	Figure	Javanese Script Class	Quantity
12.		script "Dha"	20
13.		script "Ja"	20
14.		script "Ya"	20
15.		script "Nya"	20
16.		script "Ma"	20
17.		script "Ga"	20
18.		script "Ba"	20
19.		script "Tha"	20
20.		script "Nga"	20

Secondary data is taken from the data provider site, Kaggle (url: [kaggle.com](https://www.kaggle.com)) with the name of the data used, Javanese Script, this data consists of a set of Javanese script images with png image format which are divided into 20 classes, namely Ha, Na, Ca, Ra, Ka, Da, Ta, Sa, Wa, La, Pa, Dha, Ja, Ya, Nya, Ma, Ga, Ba, Tha and Nga. The secondary data has a total of 12,000 images of Javanese characters.




Figure 3. CVNN Model Architecture

The CVNN model starts by creating a sequential model object and defining a kernel variable with a value of 3. This model consists of several types of layers. First, there is a ComplexConv2D layer that is used to perform convolution operations on the input image. This model has four ComplexConv2D layers with the number of filters increasing from 64, 128, 256, to 512. Each ComplexConv2D layer uses a kernel with a size of 3x3 and a ReLU activation function. After each ComplexConv2D layer, there is a ComplexMaxPool2D layer that is used to perform the max pooling operation.

After the complex-valued convolution and complex max pooling layers, the model has a ComplexFlatten layer which is used to convert the output of the previous layer into a one-dimensional vector. Next, there are two ComplexDense layers or complex-valued fully connected layers. The first ComplexDense layer has 256 neuron units with a ReLU activation function. The ComplexDropout layer is placed after the first ComplexDense layer to avoid overfitting. This ComplexDropout layer randomly deactivates a portion of the neuron units (20%) during the training process. The second ComplexDense layer is the last fully connected layer with 20 neuron units, corresponding to the number of classes to be predicted. A softmax activation function is used in this layer to generate the desired class probabilities. The model is compiled using the categorical_crossentropy loss function, stochastic gradient descent (SGD) optimizer, and accuracy matrix.




Figure 4. CVNN Model Evaluation Graph

The performance of the CVNN model using epoch 10, batch size 1, and color mode grayscale with 5 trials has an accuracy level as shown in the table below:

Table 2. CVNN Model Performance

No	Train		Val		Test	
	Akurasi (%)	Loss	Akurasi (%)	Loss	Akurasi (%)	Loss
1.	99,85%	0,005	93,37%	0,457	95,23%	0,210
2.	99,91%	0,003	94,56%	0,358	96,72%	0,174
3.	99,90%	0,003	93,97%	0,403	96,48%	0,156
4.	99,91%	0,002	95,91%	0,394	96,25%	0,203
5.	99,79%	0,008	93,53%	0,470	96,98%	0,147

The CNN model starts by creating a sequential model object and defining a kernel variable with a value of 3. This model consists of several types of layers. First, there is a Conv2D layer that is used to perform convolution operations on the input image. This model has four Conv2D layers with the number of filters increasing from 64, 128, 256, to 512. Each Conv2D layer uses a kernel with a size of 3x3 and a ReLU activation function. After each Conv2D layer, there is a MaxPool2D layer that is used to perform the max pooling operation.

After the convolution and max pooling layers, the model has a Flatten layer which is used to convert the output of the previous layer into a one-dimensional vector. Next, there are two Dense layers or fully connected layers. The first Dense layer has 256 neuron units with ReLU activation function. The Dropout layer is placed after the first Dense layer to avoid overfitting. The Dropout layer randomly deactivates a portion of the neuron unit (20%) during the training process. The second Dense layer is the last fully connected layer with 20 neuron units, corresponding to the number of classes to be predicted. A softmax activation function is used in this layer to generate the desired class probabilities. The model is compiled using the categorical_crossentropy loss function, stochastic gradient descent (SGD) optimizer, and accuracy matrix.




Figure 5. CNN Model Evaluation Graph

The performance of the CNN model using epoch 10, batch size 1, and color mode grayscale with 5 trials has an accuracy level as shown in the table below:

Table 3. CNN Model Performance

No	Train		Val		Test	
	Akurasi (%)	Loss	Akurasi (%)	Loss	Akurasi (%)	Loss
1.	99,07%	0,074	93,97%	0,386	92,19%	1,127
2.	99,54%	0,014	94,37%	0,180	95,08%	0,158
3.	99,90%	0,006	94,29%	0,307	94,38%	0,237
4.	99,80%	0,004	94,64%	0,362	92,42%	0,378
5.	99,88%	0,002	95,56%	0,265	94,53%	0,227

After experimenting 5 times on CVNN and CNN, then calculate the average accuracy produced on the test data. The CVNN method has an average accuracy of 96.332% and a loss of 0.1834. Meanwhile, the CNN method has an average accuracy of 93.72% and a loss of 0.4254. The following is a comparison chart of the accuracy results on the test data.




Figure 6. Comparison of Accuracy Results on Test Data

CVNN has higher accuracy performance because CVNN is a type of artificial neural network that uses complex numbers as inputs, outputs, and parameters in it. Complexity in CVNN has a richer representation. Complex numbers provide two dimensions, the real and imaginary parts, which can store more information than using only real numbers like in CNN.

In addition, CVNN is more invariant to data transformations, such as rotation, shifting, and magnification. Since complex numbers can intrinsically describe rotations and shifts, CVNN models are better able to cope with variations in the data. Thus, the performance of the model generated by CVNN is better than CNN.

4. CONCLUSION

This research successfully implemented the Complex-Valued Neural Network (CVNN) and Convolutional Neural Network (CNN) methods in the Python programming language to classify the

Nglegena Javanese script. In this study, the Complex-Valued Neural Network method has an average accuracy of 96.332% and a loss of 0.1834. Meanwhile, the Convolutional Neural Network method has an average accuracy of 93.72% and a loss of 0.4254.

5. REFERENCE

- [1] S. C. A. Pradhana, U. N. Wisesty, and F. Sthevanie, "Pengenalan Aksara Jawa dengan Menggunakan Metode Convolutional Neural Network," *e-Proceeding Eng.*, vol. 7, no. 1, pp. 2558–2567, 2020.
- [2] M. A. Rasyidi, T. Bariyah, Y. I. Riskajaya, and A. D. Septyani, "Classification of handwritten javanese script using random forest algorithm," *Bull. Electr. Eng. Informatics*, vol. 10, no. 3, pp. 1308–1315, 2021, doi: 10.11591/eei.v10i3.3036.
- [3] T. Rahardjo, N. Degeng, and Y. Soepriyanto, "Pengembangan Multimedia Interaktif Mobile Learning Berbasis Android Aksara Jawa Kelas X Smk Negeri 5 Malang," *J. Kaji. Teknol. Pendidik.*, vol. 2, no. 3, pp. 195–202, 2019, doi: 10.17977/um038v2i32019p195.
- [4] I. G. S. M. Diyasa, A. Fauzi, M. Idhom, and A. Setiawan, "Multi-face Recognition for the Detection of Prisoners in Jail using a Modified Cascade Classifier and CNN," *J. Phys. Conf. Ser.*, vol. 1844, no. 1, 2021, doi: 10.1088/1742-6596/1844/1/012005.
- [5] F. M. Adenansyah, "Rancang Bangun Game Edukasi Belajar Aksara dan Tata Krama Bahasa Jawa untuk SD Kelas 4 Berbasis Android," *J. Manaj. Inform.*, vol. 10, no. 9, pp. 1–9, 2019.
- [6] C. Dian Ikawati Susilo and D. Indira, "Filosofi Hanacaraka Bahasa Jawa Suatu Kajian Etnolinguistik," *Kongr. Int. Masy. Linguist. Indones.*, pp. 30–34, 2022, doi: 10.51817/kimli.vi.17.
- [7] D. Fakhruddin, A. Sachari, and N. Haswanto, "Pengembangan Desain Informasi dan Pembelajaran Aksara Jawa melalui Media Website," *ANDHARUPA J. Desain Komun. Vis. Multimed.*, vol. 5, no. 01, pp. 1–23, 2019, doi: 10.33633/andharupa.v5i01.1990.
- [8] D. A. Prasetya, P. T. Nguyen, R. Faizullin, I. Iswanto, and E. F. Armay, "Resolving the shortest path problem using the haversine algorithm," *J. Crit. Rev.*, vol. 7, no. 1, pp. 62–64, 2020, doi: 10.22159/jcr.07.01.11.
- [9] R. Trabelsi, I. Jabri, F. Melgani, F. Smach, N. Conci, and A. Bouallegue, "Indoor object recognition in RGBD images with complex-valued neural networks for visually-impaired people," *Neurocomputing*, vol. 330, pp. 94–103, 2019, doi: 10.1016/j.neucom.2018.11.032.
- [10] R. Novaliandy and A. R. Widiarti,

- "Klasifikasi Aksara Jawa Cetak Menggunakan Jaringan Syaraf Tiruan Backpropagation," *Pros. Semin. Nas. Ilmu ...*, pp. 307–312, 2022, [Online]. Available: <https://mail.puterabatam.com/index.php/prosiding/article/view/5351>
- [11] I. S. Hanindria and H. Hendry, "Pengklasifikasian Aksara Jawa Metode Convolutional Neural Network," *JATISI (Jurnal Tek. Inform. dan Sist. Informasi)*, vol. 9, no. 3, pp. 2727–2737, 2022, [Online]. Available: <https://jurnal.mdp.ac.id/index.php/jatisi/article/view/2177>
- [12] J. A. Barrachina, C. Ren, G. Vieillard, C. Morisseau, and J.-P. Ovarlez, "Theory and Implementation of Complex-Valued Neural Networks," no. June, 2023, [Online]. Available: <http://arxiv.org/abs/2302.08286>
- [13] J. Krzyston, R. Bhattacharjea, and A. Stark, "Complex-valued convolutions for modulation recognition using deep learning," *2020 IEEE Int. Conf. Commun. Work. ICC Work. 2020 - Proc.*, 2020, doi: 10.1109/ICCWorkshops49005.2020.9145469
- [14] T. Muhamad Hafiez, D. Iskandar, A. Wiranata S.K, and R. Fitri Boangmanalu, "Optimasi Klasifikasi Gambar Varietas Jenis Tomat dengan Data Augmentation dan Convolutional Neural Network," *Smart Comp Jurnalnya Orang Pint. Komput.*, vol. 11, no. 2, pp. 175–186, 2022, doi: 10.30591/smartcomp.v11i2.3524.
- [15] A. Muhaimin, D. D. Prastyo, and H. H. S. Lu, "Forecasting with recurrent neural network in intermittent demand data," *Proc. Conflu. 2021 11th Int. Conf. Cloud Comput. Data Sci. Eng.*, pp. 802–809, 2021, doi: 10.1109/Confluence51648.2021.9376880.
- [16] R. A. Pengestu, B. Rahmat, and F. T. Anggraeni, "Implementasi algoritma CNN untuk klasifikasi citra lahan dan perhitungan luas," *J. Inform. dan Sist. Inf.*, vol. 1, no. 1, pp. 166–174, 2020.

ORIGINALITY REPORT

16%

SIMILARITY INDEX

9%

INTERNET SOURCES

10%

PUBLICATIONS

6%

STUDENT PAPERS

PRIMARY SOURCES

1

Submitted to Universitas Amikom

Student Paper

2%

2

Amilia, Sindi, Mahmud Dwi Sulistiyo, and Retno Novi Dayawati. "Face image-based gender recognition using complex-valued neural network", 2015 3rd International Conference on Information and Communication Technology (ICoICT), 2015.

Publication

1%

3

dspace.umkt.ac.id

Internet Source

1%

4

"Artificial Neural Networks and Machine Learning – ICANN 2017", Springer Science and Business Media LLC, 2017

Publication

1%

5

Ajib Susanto, Ibnu Utomo Wahyu Mulyono, Christy Atika Sari, Eko Hari Rachmawanto, De Rosal Ignatius Moses Setiadi. "Javanese Script Recognition based on Metric, Eccentricity and Local Binary Pattern", 2021 International Seminar on Application for Technology of

1%

Information and Communication (iSemantic), 2021

Publication

6	Kadek Adi Sukma Wijaya, Wiwien Widyastuti. "Recognition of Balinese letters with convolutional neural network", AIP Publishing, 2022 Publication	1 %
7	stujay.com Internet Source	1 %
8	Fahime Khozeimeh, Danial Sharifrazi, Navid Hoseini Izadi, Javad Hassannataj Joloudari et al. "Combining a convolutional neural network with autoencoders to predict the survival chance of COVID-19 patients", Scientific Reports, 2021 Publication	1 %
9	gssrr.org Internet Source	1 %
10	www.scilit.net Internet Source	1 %
11	ejurnal.seminar-id.com Internet Source	<1 %
12	journal.uinjkt.ac.id Internet Source	<1 %
13	web.archive.org Internet Source	

<1 %

14

Steven Willian, Theresia Herlina Rochadiani, Thamrin Sofian. "Design of Batak Toba Script Recognition System Using Convolutional Neural Network Algorithm", Sinkron, 2023

Publication

<1 %

15

proceeding.unpkediri.ac.id

Internet Source

<1 %

16

publications.waset.org

Internet Source

<1 %

17

"Big Data Technologies and Applications", Springer Science and Business Media LLC, 2018

Publication

<1 %

18

journal.umkendari.ac.id

Internet Source

<1 %

19

repository.unikama.ac.id

Internet Source

<1 %

20

www.varsitytutors.com

Internet Source

<1 %

21

Ajib Susanto, Christy Atika Sari, Ibnu Utomo Wahyu Mulyono, Eko Hari Rachmawanto et al. "Javanese Script Single Letters Classification using GoogLeNet Architecture and Adam Optimizer Based on Convolutional

<1 %

Neural Networks (CNN)", 2023 International Seminar on Application for Technology of Information and Communication (iSemantic), 2023

Publication

22

J. A. Barrachina, C. Ren, G. Vieillard, C. Morisseau, J.-P. Ovarlez. "About the Equivalence Between Complex-Valued and Real-Valued Fully Connected Neural Networks - Application to Polinsar Images", 2021 IEEE 31st International Workshop on Machine Learning for Signal Processing (MLSP), 2021

Publication

23

Mohammad Arif Rasyidi, Taufiqotul Bariyah, Yohanes Indra Riskajaya, Ayunda Dwita Septyani. "Classification of handwritten Javanese script using random forest algorithm", Bulletin of Electrical Engineering and Informatics, 2021

Publication

24

ceur-ws.org

Internet Source

25

Jun Hu. "Spam Detection with Complex-Valued Neural Network Using Behavior-Based Characteristics", 2008 Second International Conference on Genetic and Evolutionary Computing, 09/2008

Publication

<1 %

<1 %

<1 %

<1 %

